

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	414	(novatel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 10:52
L2	135	(novatel adj communications)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 10:53
L3	5	709/206,207.ccls. and (restrict\$5) near10 (allocat\$5 access\$5) same (email) near4 (server platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:13
L4	5	709/206,207.ccls. and (restrict\$5 allocat\$5) near10 access\$5 same (email) near4 (server platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:16
L5	6	709/206,207,223,224,225,226.ccls. and (restrict\$5 allocat\$5) near10 access\$5 same (email) near4 (server platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:17
L6	327	709/206,207,223,224,225,226.ccls. and access\$5 same (email) near4 (server platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:17
L7	5	709/206,207,223,224,225,226.ccls. and (select\$5) near5 access\$5 near5 (email) near4 (server platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:18
L8	0	709/206,207,223,224,225,226.ccls. and (select\$5) near5 (class (service near3 level)) near5 access\$5 near5 (email) near4 (server platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:19
L9	0	709/206,207,223,224,225,226.ccls. and (class (service near3 level)) near5 access\$5 near5 (email) near4 (server platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:19
L10	0	(class (service near3 level)) near5 access\$5 near5 (email) near4 (server platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:19
L11	18	(class (service near3 level)) near10 (email) near4 (server platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:21

L12	80	(class (service near3 level)) near10 (email mail) near2 (server platform gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:21
S1	2	"5757669".PN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 09:39
S2	2	"5557320".PN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 09:43
S3	1612	((message mail) near5 (system platform application)) and ((prevent\$5 control\$5 implement\$5 apply\$5 limit\$5) near5 (overload\$5 excess\$5 threshold\$5)) and (SLA (service adj level adj criteria) class (service adj level) (service adj categor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:39
S4	120	((message mail) near5 (system platform application)) and ((prevent\$5 control\$5 implement\$5 apply\$5 limit\$5) near5 (overload\$5 excess\$5 threshold\$5))same(SLA (service adj level adj criteria) class (service adj level) (service adj categor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:46
S5	79	((messag\$5 mail\$5) near2 (system platform application)) and ((prevent\$5 control\$5 implement\$5 apply\$5 limit\$5) near5 (overload\$5 excess\$5 threshold\$5))same(SLA (service adj level adj criteria) class (service adj level) (service adj categor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 10:08
S6	122	((messag\$5 mail) near5 (system platform application)) and ((prevent\$5 control\$5 implement\$5 apply\$5 limit\$5) near5 (overload\$5 excess\$5 threshold\$5))same(SLA (service adj level adj criteria) class (service adj level) (service adj categor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 10:56
S7	1925	(manag\$5 monitor\$5) near10 (email e-mail messga\$5) near10 (system platform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 10:57
S8	14048	(manag\$5 monitor\$5) near10 (email e-mail messag\$5) near10 (system platform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 10:58
S9	1270	(manag\$5 monitor\$5) adj (email e-mail messag\$5) near10 (system platform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 11:00
S10	117	(manag\$5 monitor\$5) adj (email e-mail messag\$5) adj (system platform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 11:33
S11	11	(overload\$5 near15 control\$5) same ((email e-mail messag\$5) adj (system platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 11:55
S12	1515	(overload\$5 limit\$5 deny\$5 near15 control\$5) same ((email e-mail messag\$5) adj (system platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 11:55

S13	3604	((overload\$5 limit\$5 manag\$5 monitor\$5 near15 control\$5) same ((email e-mail messag\$5) adj (system platform)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 11:56
S14	4347	((overload\$5 limit\$5 manag\$5 monitor\$5 access\$5 near3 control\$5) same ((email e-mail messag\$5) adj (system platform)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 11:56
S15	207	((overload\$5 manag\$5 monitor\$5 access\$5) adj control\$5) same ((email e-mail messag\$5) adj (system platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 11:57
S16	214	((overload\$5 limit\$5 manag\$5 monitor\$5 access\$5) adj control\$5) same ((email e-mail messag\$5) adj (system platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 12:31
S17	3	((overload\$5 adj control\$5) same ((email e-mail messag\$5) adj (system platform)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 12:32
S18	0	((threshold adj control\$5) same ((email e-mail messag\$5) adj (system platform)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 12:32
S19	10	((load adj control\$5) same ((email e-mail messag\$5) adj (system platform)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 12:34
S20	0	((control\$5 adj criteria) same ((email e-mail messag\$5) adj (system platform)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 12:34
S21	8	((service adj class\$5) same ((email e-mail messag\$5) adj (system platform)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 12:47
S22	1	((overload\$5) near2 (controller means limit\$5)) same ((email e-mail messag\$5) adj (system platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 12:49
S23	15	((mailbox) near2 (controller means limit\$5)) same ((email e-mail messag\$5) adj (system platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 13:37
S24	15	((mailbox) near2 (controller means limit\$5 (fill adj level adj threshold))) same ((email e-mail messag\$5) adj (system platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 13:41
S25	2	((mailbox) and (fill adj level adj threshold)) same ((email e-mail messag\$5) adj (system platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 13:41

S26	0	(mailbox) and (fill adj level adj threshold) and ((refus\$5 den\$y\$5) near5 (access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 13:43
S27	188	(mailbox) and (threshold) and ((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5 (access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:29
S28	65	(mailbox) and (exceed\$5 increas\$5 decreas\$5 (going adj over)) near5 (threshold) and ((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5 (access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 13:49
S29	0	(mailbox) near5(exceed\$5 increas\$5 decreas\$5 (going adj over)) near5 (threshold) and ((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5 (access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 13:49
S30	0	(mailbox) near5(size) near5 (threshold) and ((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5 (access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 13:50
S31	1	(mailbox) near5 (threshold) and ((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5 (access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 13:53
S32	4	(set\$6 establish\$5 provid\$5 implement\$5) near10 (mailbox) near5 (threshold size (fill adj level)) and ((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5 (access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 13:56
S33	40	(set\$6 establish\$5 provid\$5 implement\$5) near10 (mailbox) near5 (threshold size (fill adj level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:31
S34	62	(set\$6 establish\$5 provid\$5 implement\$5) near10 (e-mail) near5 (threshold size (fill adj level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:26
S35	0	(set\$6 establish\$5 provid\$5 implement\$5) near10 (e-mail) near10 (SLA (service adj criteria) (service adj level adj agreement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:27
S36	0	(set\$6 establish\$5 provid\$5 implement\$5) near10 (mailbox) near10 (SLA (service adj criteria) (service adj level adj agreement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:27
S37	0	(mailbox) near10 (SLA (service adj criteria) (service adj level adj agreement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:28
S38	5	(email) near10 (SLA (service adj criteria) (service adj level adj agreement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:28

S39	0	((refus\$5 deny\$5 prevent\$5 stop\$5) near5 (access)) near10 (mailbox) near5 (exceed\$5) near10 (threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:30
S40	0	((refus\$5 deny\$5 prevent\$5 stop\$5 limit\$5) near5 (access)) near10 (mailbox) near5 (exceed\$5) near10 (threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:30
S41	0	((refus\$5 deny\$5 prevent\$5 stop\$5 limit\$5) near5 (access)) near10 (mailbox) near10 (threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:30
S42	0	((refus\$5 deny\$5 prevent\$5 stop\$5 limit\$5) near5 (access)) near10 (mailbox) near10 (threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:31
S43	72	((refus\$5 deny\$5 prevent\$5 stop\$5 limit\$5) near5 (access)) near10 (mailbox)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 14:31
S44	21	709/206,207.ccls. and ((message mail) near5 (system platform application)) and ((prevent\$5 control\$5 implement\$5 apply\$5 limit\$5) near5 (overload\$5 excess\$5 threshold\$5)) and (SLA (service adj level adj criteria) class (service adj level) (service adj categor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:17
S45	3	"5948058".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:18
S46	2	"6052709".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:20
S47	2	"6072942".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:21
S48	2	"6092103".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:27
S49	7	((monitor\$5 manag\$5) near10 (subscriber\$5) near10 (email mailboxes)) and (overload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:28
S50	1	(set\$6 establish\$5 provid\$5 implement\$5) near10 (subscriber\$5) near10 (email mailboxes) near5 (threshold size (fill adj level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:32
S51	1	(chang\$5) near10 (subscriber\$5) near10 (email mailboxes) near5 (threshold size (fill adj level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:33

S52	8	(chang\$5)near10 (email mailboxes) near5 (threshold size (fill adj level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:42
S53	1	(chang\$5)near10 (email mailboxes) near5 (threshold) near5 (fill adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:43
S54	2	(email mailboxes) near5 (threshold) near5 (fill adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:43
S55	2	(email mailboxes) near5 (fill adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:43
S56	33359	(manag\$5 monitor\$5 control\$6) near10 (message mail email mailbox) near5 (system platform application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:45
S57	3507	(manag\$5 monitor\$5 control\$6)adj (message mail email mailbox) near5 (system platform application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:45
S58	262	(manag\$5 monitor\$5 control\$6)adj (message mail email mailbox) adj (system platform application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:46
S59	54	((manag\$5 monitor\$5 control\$6)adj (message mail email mailbox) near5 (system platform application)) and (overload\$5 excess\$5 threshold\$5)same(SLA (service adj level adj criteria) class (service adj level) (service adj categor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:57
S60	0	(protect\$5 sav\$6) near5 (email) near5 (overload flood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 15:58
S61	20	(email) near5 (overload flood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:02
S62	0	(email) near5 (overload flood) near10 (control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:03
S63	70	(email) near5 (overload access) near10 (control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:09
S64	97	(control) near10 (email) near5 (overload access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:09

S65	0	(control) near10 (email) near5 (overload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:09
S66	97	(control) near10 (email) near5 (access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:09
S67	0	(control) near10 (email) near5 (access) near10 (based) near10 (threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:10
S68	2	(control) near10 (email) near5 (access) near10 (threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 07:39
S69	8	(email) near5 (access) near10 (threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:11
S70	0	(email) near5 (subscript\$6) near10 (threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:12
S71	5	(email) near5 (subscript\$6) near10 (level criteria rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:12
S72	51	(email) near5 (subscript\$6 servic\$5) near10 (level criteria rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:13
S73	75	(email) near5 (subscript\$6 servic\$5) near10 (level criteria rule class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:20
S74	9428	((service subscri\$7) near10 (class\$5 categor\$6 level\$5 part\$5)) same (fill threshold limit frequency occurrence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:22
S75	425	(mailbox email e-mail voicemail) and (((service subscri\$7) adj (class\$5 categor\$6 level\$5 part\$5)) same (fill threshold limit frequency occurrence))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:24
S76	41	(mailbox email e-mail voicemail) same (((service subscri\$7) adj (class\$5 categor\$6 level\$5 part\$5)) same (fill threshold limit frequency occurrence))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/12 16:24
S77	2	"5802466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:24

S78	14	(messag\$5 near5 (platform service) and (overload\$5 near5 (access\$5 reach) near10 (mail mailbox message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:45
S79	34	(messag\$5 email voice voicemail) near5 (platform service) and (limit\$5 control balanc\$5) near5 (load\$5 overload\$5) near5 (access\$5 reach) near10 (mail mailbox message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:47
S80	97	(limit\$5 control balanc\$5) near5 (access\$5) near10 (load overload rate) near5 (mail mailbox message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:59
S81	2	"5757669".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 17:00
S82	2	"5557320".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 17:01
S83	100	(control reduc\$5 manag\$5 monitor\$5) near10 (email e-mail voicemail message) near5 (platform interface ISP provider) near15 (load overload flood\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 07:45
S84	2	(control reduc\$5 manag\$5 monitor\$5) near10 (email e-mail voicemail) near5 (platform interface ISP provider) near15 (load overload flood\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 07:46
S85	36	(manag\$5 monitor\$5) near10 (email e-mail voicemail) near15 (load overload flood\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 07:52
S86	41	(manag\$5 monitor\$5) near15 (load overload flood\$5) near15 (email e-mail voicemail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:31
S87	13	(manag\$5 monitor\$5) near15 (load overload flood\$5) near15 (email e-mail voicemail) near10 (gateway ISP server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 08:02
S88	37	(controlling balanc\$5) near15 (load overload flood\$5) near15 (email e-mail voicemail) near10 (gateway ISP server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 13:30

S89	144	(load overload flood\$5) near15 (email e-mail voicemail) near10 (gateway ISP server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:23
S90	14	(stateless) near4 (TCP IP) and (stateful) near4 (TCP IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:55
S91	60	(stateless) same (stateful) same (TCP IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:08
S92	74	(stateless) same (stateful) same (protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:09
S93	2	"5802466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:37
S94	2	"6182117".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:32
S95	2	"6073142".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:34
S96	2	"5930337".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:34
S97	2	"5506872".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:34
S98	4	(priority SLA (servcie adj class) (servcie adj level)) near10 (based scheme oriented) near5 (access\$5) near5 (messag\$5) near5 (plateform service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:51
S99	26	(priority SLA (servcie adj class) (servcie adj level)) near10 (access\$5) near5 (messag\$5 email voice-mail e-mail) near5 (plateform service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:54

S10 0	37	(SLA (service adj class) (service adj level)) near10 (access\$5) near5 (messag\$5 email voice-mail e-mail) near5 (plateform service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 09:00
S10 1	1	(prevent\$5 regulat\$5 priorit\$5 select\$5 adapt\$5 controlling control) near10 (access\$5) near5 (overload load frequency) near10 (messag\$5 email voice-mail e-mail) near5 (plateform service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 09:02
S10 2	1	(prevent\$5 regulat\$5 priorit\$5 select\$5 adapt\$5 controlling control) near10 (access\$5) near5 (overload load frequency) near10 (messag\$5 email voice-mail e-mail) near5 (platform service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 09:03
S10 3	137	(prevent\$5 regulat\$5 priorit\$5 select\$5 adapt\$5 controlling control) near10 (access\$5) near5 (overload load frequency) near10 (messag\$5 email voice-mail e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 09:32
S10 4	262	(prevent\$5 regulat\$5 priorit\$5 select\$5 adapt\$5 controlling control) near10 (access\$5) near10 (messag\$5 email voice-mail e-mail) same (overload load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:01
S10 5	20	(prevent\$5 regulat\$5 priorit\$5 select\$5 adapt\$5 controlling control) near10 (access\$5) near10 (email voice-mail e-mail) same (overload load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 09:37
S10 6	7	("20010034762" "5450394" "5521907" "6058102" "6363053" "6405364" "6496850").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/13 09:44
S10 7	31	("4315262" "4654867" "5056109" "5073900" "5134709" "5276730" "5276907" "5278892" "5289526" "5295152" "5371780" "5437054" "5448761" "5490087" "5519691" "5544196" "5564025" "5594740" "5619524" "5627835" "5669062" "5696762" "5729531" "5734646" "5734980" "5757846" "5778030" "5790534" "5924026" "6111867" "6118997").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/13 09:45
S10 8	1	(select\$5 adapt\$5) near10 (deny\$5 prevent\$5 regulat\$5 priorit\$5) near5 (access\$5) near10 (message email voice-mail e-mail (electronic near2 mail)) near4 (server provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:10
S10 9	82	(deny\$5 prevent\$5 regulat\$5 priorit\$5) near5 (access\$5) near10 (message email voice-mail e-mail (electronic near2 mail)) near4 (server provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:49
S11 0	11110	(priority SLA (servcie adj class) (servcie adj level)) and (message email voice-mail e-mail (electronic near2 mail)) near4 (server provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:50
S11 1	876	(priority SLA (service adj class) (service adj level)) same(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 13:46

S11 2	1	(priority) and (SLA (service adj level)) and (service adj class) same(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:51
S11 3	44	(priority SLA (service adj class) (service adj level)) same(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider) same (overload load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:24
S11 4	2	(priority SLA (service adj class) (service adj level)) same(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider) same (overload load) near4 (controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:52
S11 5	11	("4146839" "5097499" "5528513" "5838922" "6018515" "6081505" "6091709" "6246691" "6388993" "6438138" "6473432").PN	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/13 10:53
S11 6	1662	(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider) same (overload load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:06
S11 7	128	(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider) same (overload load access) near3 (controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:06
S11 8	96	(priority SLA (service adj class) (service adj level) user subscriber) near10 (based oriented dependent) near5 (message email voice-mail e-mail (electronic near2 mail)) near4 (server provider platform) near4 (retrieval access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:38
S11 9	190	(manag\$5 monitor\$5) near5 (message email voice-mail e-mail (electronic near2 mail)) near4 (server provider platform gateway) near4 (retrieval access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:54
S12 0	893	(manag\$5 monitor\$5) near5 (email e-mail) near4 (server provider platform gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:54
S12 1	255	(manag\$5 monitor\$5) near5 (email e-mail) near4 (server provider platform gateway) and (priority SLA (service adj class) (service adj level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:54
S12 2	262	(manag\$5 monitor\$5) near5 (email e-mail) near4 (server provider platform gateway) and (priority SLA (service adj2 class) (service adj2 level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:55
S12 3	185	(load overload flood\$5) near15 (email e-mail voicemail) near10 (gateway ISP server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 13:31

S12 4	6	(load overload flood\$5) near15 (email e-mail voicemail) near10 (gateway ISP server) and (SLA (service adj class) (service adj level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 13:43
S12 5	2	"6831966".pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 13:43
S12 6	11	("5463685" "5479487" "5790650" "5867495" "5901214" "6249809" "6408066" "6430271" "6459788" "6535600" "6556659").PN	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/13 13:43
S12 7	0	(service adj2 level adj2 manager) same(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 13:47
S12 8	0	(service adj2 level adj2 manager) same(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider ISP gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 13:47
S12 9	431	(load near3 (controller balancer balanc\$5)) same(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider ISP gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 13:51
S13 0	112	(load near3 (controller balancer balanc\$5)) near5 (message email voice-mail e-mail (electronic near2 mail)) near4 (server provider ISP gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:08
S13 1	0	(load and (service near3 class)) near5 (access\$5) near5(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:09
S13 2	0	(network near3 load near4 balanc\$5) near5 (access\$5) near5(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:10
S13 3	0	(network near3 load near4 balanc\$5) near5 (access\$5) near5(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:10
S13 4	0	(network near3 load near4 balanc\$5) near5(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:10
S13 5	0	(network near3 load near4 balanc\$5) near10(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:10

S13 6	0	(network near3 load near4 balac\$5) same(message email voice-mail e-mail (electronic near2 mail)) near4 (server provider gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:10
S13 7	0	(network near3 load near4 balac\$5) and (message email voice-mail e-mail (electronic near2 mail)) near4 (server provider gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:11
S13 8	66	(network near3 load) near10 (message email voice-mail e-mail (electronic near2 mail)) near4 (server provider gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:11
S13 9	29	(email e-mail voicemail) near10 (gateway ISP server) near10 (service near5 (class level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:38
S14 0	21	(email e-mail voicemail) near10 (gateway platform server) near10 (service near5 (class level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:28
S14 1	31	(email e-mail (voice adj. mail)) near10 (gateway platform server) near10 (service near5 (class level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:29
S14 2	18	("5263157" "5649099" "5706349" "5751791" "5765033" "5768505" "5835727" "5884046" "5913210" "5920697" "5938729" "6012088" "6105027" "6131095" "6154738" "6163805" "6175832" "6199062").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/13 14:30
S14 3	13	(restrict\$5) near5 (access\$5) near5 (mail email e-mail (electronic near3 mail) (electronic near3 message) (voice near3 mail)) near5 (server gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:47
S14 4	2	"5926624".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:48
S14 5	2	"5961590".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:49
S14 6	2	"5864870".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:49
S14 7	2	"5819271".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:33

S14 8	2	"5313515".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:36
S14 9	13	(message near3 store) near4 (interface) near5 controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:37
S15 0	1	(message near3 store) near4 (load) near5 controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:38
S15 1	0	(message near3 store) near4 (overload) near5 controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:38
S15 2	6	(email e-mail voicemail) near10 (gateway ISP server) near10 (overload)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:44
S15 3	1	(WO near2 96/08939)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 07:31
S15 4	15	("4788543" "5235598" "5428613" "5442809" "5502725" "5606561" "5648967" "5752193" "5778316" "5778318" "6052369" "6154648" "6163697" "6185196" "6226279").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/13 15:47
S15 5	4	(channel) near4 (allocat\$5) same ((subscriber service) near4 class) same (load overload)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 07:33
S15 6	1	(restrict\$5) near10 (channel) near10 (allocat\$5 access\$5) same ((subscriber service) near4 class) same (load overload)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 07:34
S15 7	0	(restrict\$5) near10 (allocat\$5 access\$5) same (email) near4 (server platform) same ((subscriber service) near4 class) same (load overload)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 07:35
S15 8	13	(restrict\$5) near10 (allocat\$5 access\$5) same (email) near4 (server platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:13